




Causted soda applicator RMBB

Causted soda application in highest quality for handcraft bakery.

Unique by the patented causted soda shower and its compact construction this machine is the perfect partner at bakeries.



Causted soda applicator RMBB

Advantages:

- ▶ Suitable for applying causted soda to all causted soda-dough products, such as pretzels, causted soda-dough rolls, knots, croissants, causted soda-dough baguettes, party confections, etc.
- ▶ Simple operation, robust construction and a high level of mobility thanks to castors facilitate handling and adjustment
- ▶ The enclosed causted soda tank ensures safe production with minimum space requirements
- ▶ Reliable computer control for variable production speeds
- ▶ Causted soda level indicator for trouble-free operation
- ▶ Easy to clean
- ▶ Motor and pump are maintenance-free
- ▶ Capacity of causted-soda-solution tank: 100 litres
- ▶ Removable tables at the entrance and exit of the machine, small store place required
- ▶ Charging with cloth

Available accessories

- ▶ **Oven charger**
with stainless steel interweaving tape for keeping hotplates free from excess salt
- ▶ **Causted soda tank heater**
The causted soda tank heater prevents the causted soda temperature from dropping
- ▶ **Mini scatterer for RMBB**
- ▶ **Stand for charging cloth**
- ▶ **Areometer**
for measurement of causted-soda-solution concentration
- ▶ **Lock-causted soda**
for best results



**Riehle
Maschinenbau GmbH**

Heinrich-Rieger Str. 5
D-73430 Aalen

Tel. +49 (0)7361-5580-0
Fax: +49 (0)7361-5580-2281

info@riehle.de
www.riehle.de
www.locklauge.de





Causted Soda Applicator RMBB

Technical Details	RMBB 780	RMBB 980	RMBB 650
Tray size	580 x 780 mm	580 x 980 mm	530 x 650 mm
Power supply w/o heater unit	400V 0,9kW	400V 0,9kW	400V 0,9kW
Power supply heating unit	400V 4,5kW	400V 4,5kW	400V 4,5kW
Power connector	CEE 400V 16A	CEE 400V 16A	CEE 400V 16A
Causted soda shower	yes	yes	yes
Additional causted soda curtains	2	2	2
Causted soda tank capacity	100 litres	100 litres	100 100 litres
Causted soda tank heating	optional	optional	optional
Causted soda level indicator	yes	yes	yes
Salter mount	yes	yes	yes
Salter	optional	optional	optional
Tipping device for rolls	yes	yes	yes
Computer controlled	yes	yes	yes
Maintenance alerter	optional	optional	optional
Length (working position)	2100 mm	2500 mm	2100 mm
Length (idle position)	1060 mm	1260 mm	1060 mm
Width	790 mm	790 mm	790 mm
Height w/o salter	1265 mm	1265 mm	1265 mm
Height with mounted salter	1285 mm	1285 mm	1285 mm



**Riehle
Maschinenbau GmbH**

Heinrich-Rieger Str. 5
D-73430 Aalen

Tel. +49 (0)7361-5580-0

Fax: +49 (0)7361-5580-2281

info@riehle.de

www.riehle.de

www.locklauge.de